#### RECEIVED

By Carol Day at 3:23 pm, Jun 17, 2015



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES STATE PUBLIC HEALTH LABORATORY BREATH ALCOHOL PROGRAM

INTOX EC/IR II MAINTENANCE REPORT \*3

Complete this report at the time of		because shoots for exceed 26			
	Complete this report at the time of the regular monthly preventive maintenance check (not to exceed 35				
days). Complete this report whenever the instrument is serviced or repaired and whenever it is placed into service. Retain the original and send a copy within 15 days to the Breath Alcohol Program, DHSS.					
		DATE OF INSPECTION			
INTOX EC/IR II SN	NAME OF AGENCY				
12947	ST. JOSEPH POLICE DEPT.	06/11/2015			
LOCATION OF INSTRUMENT (STREET AND CITY)		TIME OF INSPECTION			
501 FARAON ST. JOSEPH		16:21 CDT			
CHECKLIST: Place a mark in the box	CHECKLIST: Place a mark in the box by each item if found to be satisfactory or is operating within				
established limits. (Write in observed values where determined). Unmarked items must be corrected					
before using instrument.					
X DIAGNOSTIC RECORD					
X BLANK CHECK	X CO2 CHECK				
X FC 1 TEMP		X RIOM CHECK			
X SRC TEMP	X FCB CHECK	X FCB CHECK			
X DET TEMP	X CRC COMP CHE	CK			
X BT TEMP	X CRC CAL CHEC	K			
X STD 2 TEMP	X PRINT TEST				
X ETH CHECK					
BREATH ANALYZER ACCURACY STANDA	png				
		THANOL-GAS MIXTURE			
SIMULATOR SOLUTION		EXP. DATE 04/01/2017			
7					
SIMULATOR TEMP (34°C ±0.2°C)	SIMULATOR S/N	SIMULATOR EXP DATE			
X CALIBRATION CHECK - (ONLY ONE STANDARD IS TO BE USED PER MAINTENANCE REPORT)					
Run three tests using a standard solution. All three tests must be within $\pm 5\%$ of the standard value					
and must have a spread of .00	and must have a spread of .005 or less. Mark the box corresponding to the standard solution being				
used. (PRINTOUT ATTACHED)					
used. (PRINTOUT ATTACHED)	_	••••••			
X 0.10% STANDARD - MUST READ	BETWEEN 0.095% AND 0.105% INCLUS	IVE			
X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ	BETWEEN 0.095% AND 0.105% INCLUS BETWEEN 0.076% AND 0.084% INCLUS	ive ive			
X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ	BETWEEN 0.095% AND 0.105% INCLUS	ive ive			
0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ	BETWEEN 0.095% AND 0.105% INCLUS BETWEEN 0.076% AND 0.084% INCLUS	ive ive			
0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 ** 0.101 g/210L	BETWEEN 0.095% AND 0.105% INCLUS BETWEEN 0.076% AND 0.084% INCLUS BETWEEN 0.038% AND 0.042% INCLUS	IVE IVE IVE TEST 3 *> 0.101 g/210L			
X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 ** 0.101 g/210L	BETWEEN 0.095% AND 0.105% INCLUS BETWEEN 0.076% AND 0.084% INCLUS BETWEEN 0.038% AND 0.042% INCLUS	IVE IVE IVE TEST 3 *> 0.101 g/210L			
X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 ** 0.101 g/210L	BETWEEN 0.095% AND 0.105% INCLUS BETWEEN 0.076% AND 0.084% INCLUS BETWEEN 0.038% AND 0.042% INCLUS	IVE IVE IVE TEST 3 *> 0.101 g/210L			
0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.101 g/210L INDICATE THE NUMBER OF BREATH T REFUSALS 0 004 197 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE	BETWEEN 0.095% AND 0.105% INCLUS BETWEEN 0.076% AND 0.084% INCLUS BETWEEN 0.038% AND 0.042% INCLUS TEST 2 ** 0.101 g/210L  BETS IN THE FOLLOWING RANGES SING .0509 0 .1014 0  RATION OR MODIFICATION THAT WAS MADE TO RE	TEST 3 3 0 0.101 g/210L  TEST THE LAST MAINTENANCE REPORT:  .15~.19 0 OVER .19 0			
0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.101 g/210L INDICATE THE NUMBER OF BREATH T REFUSALS 0 004 197	BETWEEN 0.095% AND 0.105% INCLUS BETWEEN 0.076% AND 0.084% INCLUS BETWEEN 0.038% AND 0.042% INCLUS TEST 2 ** 0.101 g/210L  BETS IN THE FOLLOWING RANGES SING .0509 0 .1014 0  RATION OR MODIFICATION THAT WAS MADE TO RE	TEST 3 3 0 0.101 g/210L  TEST THE LAST MAINTENANCE REPORT:  .15~.19 0 OVER .19 0			
0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.101 g/210L INDICATE THE NUMBER OF BREATH T REFUSALS 0 004 197 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE	BETWEEN 0.095% AND 0.105% INCLUS BETWEEN 0.076% AND 0.084% INCLUS BETWEEN 0.038% AND 0.042% INCLUS TEST 2 ** 0.101 g/210L  BETS IN THE FOLLOWING RANGES SING .0509 0 .1014 0  RATION OR MODIFICATION THAT WAS MADE TO RE	TEST 3 3 0 0.101 g/210L  TEST THE LAST MAINTENANCE REPORT:  .15~.19 0 OVER .19 0			
0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.101 g/210L INDICATE THE NUMBER OF BREATH T REFUSALS 0 004 197 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE	BETWEEN 0.095% AND 0.105% INCLUS BETWEEN 0.076% AND 0.084% INCLUS BETWEEN 0.038% AND 0.042% INCLUS TEST 2 ** 0.101 g/210L  BETS IN THE FOLLOWING RANGES SING .0509 0 .1014 0  RATION OR MODIFICATION THAT WAS MADE TO RE	TEST 3 3 0 0.101 g/210L  TEST THE LAST MAINTENANCE REPORT:  .15~.19 0 OVER .19 0			
0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.101 g/210L INDICATE THE NUMBER OF BREATH T REFUSALS 0 004 197 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE	BETWEEN 0.095% AND 0.105% INCLUS BETWEEN 0.076% AND 0.084% INCLUS BETWEEN 0.038% AND 0.042% INCLUS TEST 2 ** 0.101 g/210L  BETS IN THE FOLLOWING RANGES SING .0509 0 .1014 0  RATION OR MODIFICATION THAT WAS MADE TO RE	TEST 3 3 0 0.101 g/210L  TEST THE LAST MAINTENANCE REPORT:  .15~.19 0 OVER .19 0			
0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.101 g/210L INDICATE THE NUMBER OF BREATH T REFUSALS 0 004 197 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE	BETWEEN 0.095% AND 0.105% INCLUS BETWEEN 0.076% AND 0.084% INCLUS BETWEEN 0.038% AND 0.042% INCLUS TEST 2 ** 0.101 g/210L  BETS IN THE FOLLOWING RANGES SING .0509 0 .1014 0  RATION OR MODIFICATION THAT WAS MADE TO RE	TEST 3 3 0 0.101 g/210L  TEST THE LAST MAINTENANCE REPORT:  .15~.19 0 OVER .19 0			
0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.101 g/210L INDICATE THE NUMBER OF BREATH T REFUSALS 0 004 197 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE SATISFACTORILY AND WITHIN ESTABLISHED LI	BETWEEN 0.095% AND 0.105% INCLUS BETWEEN 0.076% AND 0.084% INCLUS BETWEEN 0.038% AND 0.042% INCLUS TEST 2 ** 0.101 g/210L  BETS IN THE FOLLOWING RANGES SING .0509 0 .1014 0  RATION OR MODIFICATION THAT WAS MADE TO RE	TEST 3 3 0 0.101 g/210L  TEST THE LAST MAINTENANCE REPORT:  .15~.19 0 OVER .19 0			
0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 ** 0.101 g/210L INDICATE THE NUMBER OF BREATH T REFUSALS 0 004 197 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE SATISFACTORILY AND WITHIN ESTABLISHED LI	BETWEEN 0.095% AND 0.105% INCLUS BETWEEN 0.076% AND 0.084% INCLUS BETWEEN 0.038% AND 0.042% INCLUS TEST 2 ** 0.101 g/210L  BETS IN THE FOLLOWING RANGES SING .0509 0 .1014 0  RATION OR MODIFICATION THAT WAS MADE TO RE	TEST 3 3 0 0.101 g/210L  TEST THE LAST MAINTENANCE REPORT:  .15~.19 0 OVER .19 0			
0.08% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 ** 0.101 g/210L INDICATE THE NUMBER OF BREATH T REFUSALS 0 004 197 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE SATISFACTORILY AND WITHIN ESTABLISHED LI INSPECTING OFFICER SIGNATURE	BETWEEN 0.095% AND 0.105% INCLUS BETWEEN 0.076% AND 0.084% INCLUS BETWEEN 0.038% AND 0.042% INCLUS  TEST 2 ** 0.101 g/210L  ESTS IN THE FOLLOWING RANGES SING  .0509 0 .1014 0  RATION OR MODIFICATION THAT WAS MADE TO REMITS (USE OTHER SIDE IF NECESSARY).	TEST 3 3 0 0.101 g/210L  TEST THE LAST MAINTENANCE REPORT:  .15~.19 0 OVER .19 0			
O.08% STANDARD - MUST READ O.08% STANDARD - MUST READ O.04% STANDARD - MUST READ TEST 1 'O.101 g/210L INDICATE THE NUMBER OF BREATH T REFUSALS O O04 197 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE SATISFACTORILY AND WITHIN ESTABLISHED LI INSPECTING OFFICER SIGNATURE TYPE II PERMY NUMBER EXPIRA	BETWEEN 0.095% AND 0.105% INCLUS BETWEEN 0.076% AND 0.084% INCLUS BETWEEN 0.038% AND 0.042% INCLUS  TEST 2 ** 0.101 g/210L  ESTS IN THE FOLLOWING RANGES SING  .0509 0 .1014 0  RATION OR MODIFICATION THAT WAS HADE TO REMITS (USB OTHER SIDE IF NECESSARY).  PRINT FULL NAME GARY, SCOTT TON DATE  TELEFRONE NUMBER	TEST 3 3 0 0.101 g/210L  TEST 3 3 0 0.101 g/210L  TEST HE LAST MAINTENANCE REPORT:  .1519 0 OVER .19 0  STORE THE INSTRUMENT TO OPERATE			
O.08% STANDARD - MUST READ O.08% STANDARD - MUST READ O.04% STANDARD - MUST READ TEST 1 'O.101 g/210L INDICATE THE NUMBER OF BREATH T REFUSALS O O04 197 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE SATISFACTORILY AND WITHIN ESTABLISHED LI INSPECTING OFFICER SIGNATURE TYPE II PERMY NUMBER EXPIRA	BETWEEN 0.095% AND 0.105% INCLUS BETWEEN 0.076% AND 0.084% INCLUS BETWEEN 0.038% AND 0.042% INCLUS  TEST 2 ** 0.101 g/210L  ESTS IN THE FOLLOWING RANGES SING  .0509 0 .1014 0  RATION OR MODIFICATION THAT WAS MADE TO REMITS (USB OTHER SIDE IF NECESSARY).  PRINT FULL NAME GARY, SCOTT	TEST 3 3 0 0.101 g/210L  TEST 3 3 0 0.101 g/210L  TEST HE LAST MAINTENANCE REPORT:  .1519 0 OVER .19 0  STORE THE INSTRUMENT TO OPERATE			
O.08% STANDARD - MUST READ O.08% STANDARD - MUST READ O.04% STANDARD - MUST READ TEST 1 ** O.101 g/210L  INDICATE THE NUMBER OF BREATH T  REFUSALS O O04 197 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE SATISFACTORILY AND WITHIN ESTABLISHED LI  INSPECTING OFFICER SIGNATURE TYPE II FERMEN NUMBER 250127 BEXPIRA 06/03	BETWEEN 0.095% AND 0.105% INCLUS BETWEEN 0.076% AND 0.084% INCLUS BETWEEN 0.038% AND 0.042% INCLUS  TEST 2 *** 0.101 g/210L  ESTS IN THE FOLLOWING RANGES SING  .0509 0 .1014 0  RATION OR MODIFICATION THAT WAS MADE TO REMITS (USB OTHER SIDE IF NECESSARY).  PRINT FULL NAME GARY, SCOTT TION DATE B/2017 (816 ) 271-535:	TEST 3 3 0 0.101 g/210L  TEST 3 3 0 0.101 g/210L  TEST HE LAST MAINTENANCE REPORT:  .1519 0 OVER .19 0  STORE THE INSTRUMENT TO OPERATE			
0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 " 0.101 g/210L  INDICATE THE NUMBER OF BREATH T  REFUSALS 0 004 197 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE SATISFACTORILY AND WITHIN ESTABLISHED LI  INSPECTING OFFICER SIGNATURE TYPE II PERMAN NUMBER OF BEFIRM 250127 BEFIRM 06/03	BETWEEN 0.095% AND 0.105% INCLUS BETWEEN 0.076% AND 0.084% INCLUS BETWEEN 0.038% AND 0.042% INCLUS  TEST 2 *** 0.101 g/210L  ESTS IN THE FOLLOWING RANGES SING  .0509 0 .1014 0  RATION OR MODIFICATION THAT WAS MADE TO REMITS (USB OTHER SIDE IF NECESSARY).  PRINT FULL NAME GARY, SCOTT TON DATE 8/2017 TELEPHONE NUMBER (816 ) 271-535	TEST 3 2 0.101 g/210L  TEST 3 2 0.101 g/210L			
O.10% STANDARD - MUST READ O.08% STANDARD - MUST READ O.04% STANDARD - MUST READ TEST 1 ** O.101 g/210L  INDICATE THE NUMBER OF BREATH T REFUSALS O O04 197 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE SATISFACTORILY AND WITHIN ESTABLISHED LI  INSPECTING OFFICER SIGNATURE TYPE II PERMY NUMBER TYPE II PERMY NUMBER 250127  RETURN COMPLETED REPORT TO Breath Alcohol Program, Miss	BETWEEN 0.095% AND 0.105% INCLUS BETWEEN 0.076% AND 0.084% INCLUS BETWEEN 0.038% AND 0.042% INCLUS  TEST 2 *** 0.101 g/210L  ESTS IN THE FOLLOWING RANGES SING  .0509 0 .1014 0  RATION OR MODIFICATION THAT WAS MADE TO REMITS (USB OTHER SIDE IF NECESSARY).  PRINT FULL NAME GARY, SCOTT TION DATE B/2017 (816 ) 271-535:	TEST 3 3 0.101 g/210L  TEST 3 3 0.101 g/210L  TE THE LAST MAINTENANCE REPORT:  .15~.19 0 OVER .19 0  STORE THE INSTRUMENT TO OPERATE			



Airgas USA LLC (LAB)

3500 Bernard Street St. Louis, Mo. 63103 Ph: (314) 533-3100

Fax: (314) 533-7328

## **Certificate of Analysis**

Customer Name Intoximeters, Inc. 2081 Craig Road St. Louis, Mo 63146 Test Date: 1-Apr-2015

Lot # AG509101

Exp. Date 1-Apr-2017 Cyl. Type

Component Ethanol

Nitrogen

Certified Concentration 0.100 ± 2% BrAC (272 ppm)

Balance

Certification Traceable to N.I.S.T. RGM Ethanol Standards:

Serial No.	<u>Concentration</u>	<u>Serial No.</u>	Concentration
EB0010581	391.8 ppm	EB0010603	392.5 ppm
EB0010570	269.8 ppm	EB0010559	258.9 ppm
EB0010285	209.0 ppm	EB0010595	208.9 ppm
EB0010561	103.7 ppm	EB0010562	104.9 ppm
EB0010561 EB0010681	103.7 ppm 52.22 ppm	EB0010579	52.94 ppm

Analytical Method:

**NDIR** 

Digitally signed by Quality Control Date: 2015 04.01 17:02:55-05:00 Reason: Dry gas standard certification of analysis Location: Airgas USA LLC (Lab)

Analyst:

Rod Marsala

ISO 17025:2005 A2LA accredited. Certificate Number 2989.01



### STATE OF MISSOURI

DEPARTMENT OF HEALTH AND SENIOR SERVICES **BREATH ALCOHOL PROGRAM** 



# PERMIT TYPE II

# **SCOTT GARY**

is hereby authorized to instruct and supervise operators, train instructors, inspect, calibrate, perform field service and repairs, and operate the following breath analyzer(s):

### DATAMASTER, INTOX EC/IR II, ALCO-SENSOR IV W/PRINTER

for the determination of the alcoholic content of blood from a sample of expired air. Permit issued under the provisions of sections 577.020 through 577.041, RSMo and 306.111 through 306.119 RSMo.

DATE6/8/2015	when
	DIRECTOR OF STATE PUBLIC HEALTH LABORATORY
NUMBER 250127	Dal Vasterly
EXPIRES 6/8/2017	J
C) 580-0771 (6.10)	DIRECTOR OF DEPARTMENT OF HEALTH AND SENIOR SERVICES



The named cardholder is authorized to operate an evidential breath elcohol instrument for the determination of the alcoholic content in breath form of expired at



Operator Permit No 250127

Date Issued 6/8/2015 Date Expires 6/8/2017